

AMENDMENTS TO THE CLAIMS

1 1. (Currently Amended) A mobile vehicle having a compartment within which is an
2 installation which comprises:

3 (a) a frame part ~~{{(11)}}~~ having:

4 (i) first and second rigid, substantially L-shaped, frame side members ~~{{(13, 15)}}~~,
5 respectively contained in laterally spaced parallel planes;

6 (ii) a frame first cross-member ~~{{(17)}}~~ which bridges first corresponding limb
7 portions ~~{{(19, 21)}}~~ of said side members ~~{{(13, 15)}}~~;

8 (iii) a frame second cross-member ~~{{(23)}}~~ which bridges second corresponding limb
9 portions ~~{{(25, 27)}}~~ of said side members ~~{{(13, 15)}}~~;

10 (b) means ~~{{(29)}}~~ securing said frame ~~{{(11)}}~~ rigidly with respect to the vehicle body ~~{{(31)}}~~;

11 (c) a front wall panel member ~~{{(33)}}~~ hingedly connected ~~{{(35)}}~~ to said frame first cross-
12 member ~~{{(17)}}~~;

13 (d) first and second side wall panel members ~~{{(39, 41)}}~~ respectively hingedly connected
14 ~~{{(43)}}~~ to said front wall panel member ~~{{(33)}}~~ substantially at the edges ~~{{(45, 47)}}~~ thereof;

15 (e) a lid panel member ~~{{(57)}}~~ hingedly connected ~~{{(59)}}~~ to said second limb portions ~~{{(25,~~
16 ~~27)}}~~, of said frame side wall members ~~{{(13, 15)}}~~; and in which,

17 (f) the several aforesaid parts of said structure are constructed, arranged and adapted such
18 that the front ~~{{(33)}}~~ and side wall panel members ~~{{(39, 41)}}~~ are respectively pivotal between a first
19 configuration in which said front and side wall panel members are in a compact relationship and a
20 second configuration in which they are fully erect;

21 (g) said lid panel member ~~{{(57)}}~~ is pivotal about the hinge axis defined by its hinge

22 connections ~~{{(59)}}~~ with said second limb portions ~~{{(25, 27)}}~~ of said frame side members ~~{{(13, 15)}}~~
23 such as, with said fixed rear panel and side wall panel members ~~{{(39, 41)}}~~ in the erect
24 configuration, to effect closure of the uncapped volume defined by said upstanding front and side
25 wall panel members, thereby to constitute said security chamber; and,

26 (h) said lid panel member ~~{{(57)}}~~ incorporates means operative, with said lid panel member
27 ~~{{(57)}}~~ serving as the closure member for said uncapped volume, to lock the side wall panel
28 members ~~{{(39, 41)}}~~ against movement about their hinge connections with the front wall panel
29 member ~~{{(33)}}~~.

1 2. (Currently Amended) A vehicle as claimed in claim 1 in which:

2 the several said members ~~{{(13, 15, 17, 19, 21, 23, 25, 27)}}~~ of said frame part ~~{{(11)}}~~ are
3 each of tubular form;

4 said panel members each comprise a metal panel part ~~{{(33, 39, 41, 57)}}~~ and, extending
5 around a marginal zone of each said panel part, an endless sub-frame composted of tubular
6 members to which the relevant panel part ~~{{(33, 39, 41, 57, as the case may be)}}~~ is substantially
7 irremovably united, as by welding; and,

8 said hinge connections ~~{{(as 35, 43, 59)}}~~ are constituted as connections between said tubular
9 members, whether of said frame or of said sub-frames.

1 3. (Original) A vehicle as claimed in claim 2 in which said tubular members are of
2 rectangular cross-section.

1 4. (Original) A vehicle as claimed in claim 2 in which:

2 said configuration installation is such that in said first configuration, said front and side
3 panel members of the structure are contained in planes parallel to the vehicle compartment floor.

1 5. (Currently Amended) A vehicle as claimed in ~~{any of claims}~~ claim 2 in which:
2 the hinge connection between said lid panel member ~~{(57)}~~ and said second limb portions
3 ~~{(25, 27)}~~, of said frame side members ~~{(13, 15)}~~ are at locations intermediate the ends of said
4 limb portions, and at or in close proximity to, the free ends of said limb portions, there is a cross
5 member integral therewith.

1 6. (Currently Amended) A kit of parts having the several constituent parts thereof adapted
2 and constructed such as to enable said constituent parts to be assembled such as to constitute an
3 installation in a vehicle, being an installation as specified in [any of claims 1 to 5] claim 1.